



WoodTechnic

# *History of the Company*

WoodTechnic LLC is the company, founded on October 1, 2008 in Lviv. Currently, it is one of the leading producers of the natural wood products in Ukraine.

The louvered door is one of the directions of WoodTechnic LLC production. Modern and qualitative characteristics of the product provided its widespread use not only in the furniture industry, but also in everyday life.

# ***PARTNERS OF WOODTECHNIC IN UKRAINE***


The cooperation agreement with Epicenter K LLC was signed in 2009 (42 hypermarkets).

In addition, the cooperation with a network of Nova Liniya LLC was established (16 hypermarkets).

2010 - the beginning of effective cooperation with Leroy Merlin LLC (3 hypermarkets), and Oldi LLC (3 hypermarkets).

Because of working of our company with all the building hypermarkets in Ukraine, the company management decided to increase the production capacity and enter the European market.

# CHARACTERISTIC



Side bar (riser) is produced by grafting technique, which prevents longitudinal deformation. Cross-bars are fixed to the side bars by means of dowels.

The lower cross-bar has a standard width of 70 mm and serves as a reference point during the installation. The width of other cross-bars is placed in the range of 60-80 mm and depends on the height of door and number of lamellas.

Lamella has a thickness of 5 mm, width - 31 mm and is placed fixedly in the grooves of the side bar at a depth of 10 mm from each end.

The plane of doors is processed by a sanding belt with a grain size of 100  $\mu\text{m}$ .

# BENEFITS AND ADVANTAGES

The softwood beam of the “AA” class, which does not have knots, resin pockets, blue and other defects, is used in the production of the louvered door.

A unique feature of production is that the side bar (riser) is produced by grafting the bar that prevents the longitudinal deformation of the louvered door with height from 1700 mm to 2422 mm. These features provide ease of further work with our product and ensure its continuous operation.

In addition, the environmental friendliness of raw material and competitive price of goods should be mentioned.

# ***MATRIX OF THE STANDARD SIZES***

mm	294	394	494	594
395	X	X	X	X
606	X	X	X	X
720	X	X	X	X
993	X	X	X	X
1100	X	X	X	X
1400	X	X	X	X
1700	X	X	X	X
2013	X	X	X	X
2422	X	X	X	X



Ukraine, Lviv, Shevchenko str, 313  
tel: +38 (032) 242-22-60, +38 (067) 67-38-038  
e-mail: woodtehnic@ukr.net, www.woodtechnic.com.ua

WoodTechnic



Україна, м. Львів, вул. Шевченка, 313  
тел./факс: +38 (032) 242-22-60, моб.: +38 (067) 67-38-038  
e-mail: woodtehnic@ukr.net, www.woodtechnic.com.ua

WoodTechnic



Ukraine, Lviv, Shevchenko str, 313  
tel: +38 (032) 242-22-60, +38 (067) 67-38-038  
e-mail: woodtehnic@ukr.net, www.woodtechnic.com.ua

WoodTechnic